

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Support and E-Warranty Certificate <https://www.vevor.com/support>

INSTRUCTIONS FOR TOOL CABINET ASSEMBLY

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Tool Cabinet Assembly

MODEL:TC7200



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

 CustomerService@vevor.com









This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.


Please read instructions carefully before assembly.











Warning-To reduce the risk of injury, user must read instructions manual carefully.

Assembly Parts List

Part	Description		Qty
1	Screw-ST4.2*10		21
2	Bolt-M6*16		14
3	Bolt-M8*25		16
4	Shelf clip		8
5	Door stop		4
6	Swivel castor 5"		2
7	Rigid castor 5"		2
8	Left back		1

9	Right back		1
---	------------	--	---

Part	Description		Qty
10	Left side panel		1
11	Right side panel		1
12	Top cover		1
13	Bottom		1
14	Shelf		4
15	Clothes rail		1
16	Left door		1
17	Right door		1

ADDITIONAL TOOLS REQUIRED:

1. Phillips Head Screwdriver.
2. #12 Open-end wrench or #5 Internal hexagonal wrench.
3. Rubber Mallet (or hammer with soft covering).

SAFETY TIPS:

1. Please handle metal edges carefully.
2. Prepare a soft, level surface on ground level before commencing assembly.
3. Once assembled, maximum safe load limit per shelf is 200 lb, evenly distributed.
4. Always fill shelves from the bottom up, to help prevent any toppling issues.

MAINTENANCE:

To clean and maintain your unit, we recommend periodic cleaning using a soft cloth and gentle natural cleaner.


Table of Parameters

Items	Description
Name	Tool Cabinet
Model	TC7200
External Dimensions	910×456×1828 mm
	36×18×72 inch
Package Size	1750×545×270 mm
G.W.	57.2 kg


Instructions for Installation

Body Assembly

STEP 1 Join left back(8) and right back(9) together with screw-ST4.2*10,as shown.




STEP 2 Join left side panel(10) and right side panel(11) together with screw-ST4.2*10, as shown.




Before assembling the side panels, remove the two U-shaped protection slots at the bottom of the side panels


STEP 3 Insert the back and side panels into the limit slots on the topcover, then use bolt-M6*16(2) to fix the top cover and side panels together.




STEP 4 Attach the end two swivel castor 5"(6) to the front of the bottom with bolt-M6*16 (3), two rigid castor 5"(7) are mounted at the rear of the bottom, as shown.



STEP 5 Insert the bottom into the side panel and back, and join bottom(8) front and side panel together with four bolts-M6*16 (2).




STEP 6 Flip the body over 90°, Install the four bolts-M6*16(2) on the back as shown.




Shelf Assembly

Stand the body upright with the casters on the ground, as shown in the figure, first insert the rear ends of the shelf (14) into the side panel hanging buckle at the appropriate height, and then install the shelf clip (4) at the corresponding position.




Door Stop Assembly

As shown, press door stop(5) into the holes of the top cover and the bottom .




Clothes Rail Assembly

Install the clothes rail(15) between the left and right side panels with two bolt-M6*16 (2).




Door Assembly

Insert the pin at the bottom of the left door (16) into the bottom hole first, Then insert the spring latch at the top of the left door into the top cover hole, Install the right door (17) on the body in the same way.



Congratulations, your cabinet assembly is now complete!
Remember maximum safe load limit per shelf is 200 lb evenly distributed.
Always load bottom shelf before top shelf to help prevent any toppling issue.
Please lock your castors when using.



Manufacturer: Zhongshan City CYZ Coating Tech.Co.,Ltd.

Address: Plant1,No.78,Zhongheng Avenue,Baoyu Village, Henglan Town,
Zhongshan City,Guangdong Province,China

MADE IN CHINA

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Support and E-Warranty Certificate <https://www.vevor.com/support>